


3005
Crossblade Reflector

- Crossblade reflector provides a distinctive look to general lighting with a sharp cutoff to lamp
- Lamps:

H36TAT H36RTAT	50W 120V GU10
-------------------	---------------




3005WHC
White Trim with Clear Crossblade

3005BKC
Black Trim with Clear Crossblade

3006
Adjustable Slot Aperture
35° Tilt

- Die cast trim ring with ribbed black baffle
- For directional illumination
- 35° tilt, 360° rotation
- Lamps:

H36TAT H36RTAT	50W 120V GU10
-------------------	---------------



3006WHBB
White with Black Baffle

3006BKBB
Black with Black Baffle

3006SNBB
Satin Nickel with Black Baffle




3006ACBB
Antique Copper with Black Baffle

3006TBZBB
Tuscan Bronze with Black Baffle

3007
Lensed Shower Light
15° Tilt

- Regressed lens
- 3007WHC, 3007PCC and 3007SN have non conductive, non corrosive polymer trim rings; 3007AC and 3007TBZ have die cast trim rings
- Wet location listed for use in showers
- 15° tilt, 360° rotation
- Lamps:

H36TAT H36RTAT	50W 120V GU10
-------------------	---------------



3007WHC
White Trim with Clear Reflector

3007PCC
Polished Chrome Trim with Clear Reflector

3007SN
Satin Nickel trim with Satin Nickel Reflector




3007AC
Antique Copper Trim with Antique Copper Reflector

3007TBZ
Tuscan Bronze Trim with Tuscan Bronze Reflector

3008 - Shower Light

- Non conductive, non corrosive polymer trim ring
- Clear specular reflector
- Glass Lens with frosted perimeter
- Wet Location listed for use in showers
- Lamps:

H36TAT H36RTAT	50W 120V GU10
-------------------	---------------



3008FG
White with Frosted Glass Lens


HALO®

H36LVTAT H36LVRTAT

3005
Crossblade Reflector

- Crossblade reflector provides a distinctive look to general lighting with a sharp cutoff to lamp
- Lamps:



H36LVTAT H36LVRTAT	50W 12V MR16
-----------------------	--------------



3006
Adjustable Slot Aperture
35° Tilt

- Die cast trim ring with ribbed black baffle
- For directional illumination
- 35° tilt, 360° rotation
- Lamps:


H36LVTAT H36LVRTAT	50W 12V MR16
-----------------------	--------------



3007
Lensed Shower Light
15° Tilt


- Regressed lens
- 3007WHC, 3007PCC and 3007SN have non conductive, non corrosive polymer trim rings; 3007AC and 3007TBZ have die cast trim rings
- Wet location listed for use in showers
- 15° tilt, 360° rotation
- Lamps:

H36LVTAT H36LVRTAT	50W 12V MR16
-----------------------	--------------



- 3008 - Shower Light
- Non conductive, non corrosive polymer trim ring
 - Clear specular reflector
 - Glass Lens with frosted perimeter
 - Wet Location listed for use in showers
 - Lamps:


H36LVTAT H36LVRTAT	50W 12V MR16
-----------------------	--------------



3005
Crossblade Reflector

- Crossblade reflector provides a distinctive look to general lighting with a sharp cutoff to lamp
- Lamps:


H36ICAT H38ICAT	50W 120V GU10
--------------------	---------------



3006
Adjustable Slot Aperture
35° Tilt

- Die cast trim ring with ribbed black baffle
- For directional illumination
- 35° tilt, 360° rotation
- Lamps:


H36ICAT H38ICAT	50W 120V GU10
--------------------	---------------



3007
Lensed Shower Light
15° Tilt


- Regressed lens
- 3007WHC, 3007PCC and 3007SN have non conductive, non corrosive polymer trim rings; 3007AC and 3007TBZ have die cast trim rings
- Wet location listed for use in showers
- 15° tilt, 360° rotation
- Lamps:

H36ICAT H38ICAT	50W 120V GU10
--------------------	---------------



- 3008 - Shower Light
- Non conductive, non corrosive polymer trim ring
 - Clear specular reflector
 - Glass Lens with frosted perimeter
 - Wet Location listed for use in showers
 - Lamps:

H36ICAT H38ICAT	50W 120V GU10
--------------------	---------------





3005

Crossblade Reflector

- Crossblade reflector provides a distinctive look to general lighting with a sharp cutoff to lamp
- Lamps:

H36LVICAT	50W 12V MR16
H38LVICAT	




3006

Adjustable Slot Aperture
35° Tilt

- Die cast trim ring with ribbed black baffle
- For directional illumination
- 35° tilt, 360° rotation
- Lamps:

H36LVICAT	50W 12V MR16
H38LVICAT	37W 12V MR16




3007

Lensed Shower Light
15° Tilt

- Regressed lens
- 3007WHC, 3007PCC and 3007SN have non conductive, non corrosive polymer trim rings; 3007AC and 3007TBZ have die cast trim rings
- Wet location listed for use in showers
- 15° tilt, 360° rotation
- Lamps:

H36LVICAT	50W 12V MR16
H38LVICAT	37W 12V MR16



3008 - Shower Light

- Non conductive, non corrosive polymer trim ring
- Clear specular reflector
- Glass Lens with frosted perimeter
- Wet Location listed for use in showers
- Lamps:

H36LVICAT	50W 12V MR16
H38LVICAT	37W 12V MR16

