

Ergonic, the first handle that adapts to the users hand!



smooth, seamless handle for maximum comfort

hand and handle interlock, causing less strain


Fits all!
Serie 400 *ERGONIC*® (pat.)

stronger, adaptable, truly ergonomic

hexagon bolsters available on series 410

blades manufactured from chrome-molybdenum-vanadium steel

superior torque which exceeds DIN and ISO requirements by up to 100%



anti-roll handle design

hanging hole for easy storage or inserting lever

screw symbols on handle cap



GS tested for safety



EAN code on every product



full length, impact proof handle core



black tip for precision fit



There are numerous ergonomic handle designs:
It is always the user's hand that has to adjust to the handle.
ERGONIC is the only handle adjusting to the individual hand!

The new standard in ergonomics, torque transmission and responsiveness!

ERGonic®

The impact proof handle core is coated with elastic, scratch resistant elastomer containing cells of highly flexible plastics.



The handle fits perfectly into the hand at all times.
Hand and handle interlock, causing less strain and work fatigue, allowing higher maximum torque!
Responsiveness of material results in enhanced sensitivity and perfect control of torque.

>felo INNOVATIONS

400



									EAN-Code	Item No
	3/32"	3"	3.4	1"	2,5	12		400 022 10	27	40 07157 53679 2
	1/8"	3 1/8"	3.4	1"	0.12"	12		400 032 10	30	40 07157 53117 9
	9/64"	4"	3.4	1"	0.14"	12		400 353 10	33	40 07157 53119 3
	5/32"	4"	3.7	1.2"	0.16"	12		400 043 10	49	40 07157 53611 2
	3/16"	6"	3.9	1.3"	0.20"	12		400 055 10	75	40 07157 53619 8
	7/32"	5"	3.9	1.3"	0.20"	12		400 554 10	72	40 07157 53621 1
	7/32"	6"	3.9	1.3"	0.20"	12		400 555 10	82	40 07157 53623 5
New!	15/64"	6"	4.2	1.4"	0.24"	12		400 065 10	99	40 07157 57591 3
New!	15/64"	8"	4.2	1.4"	0.24"	12		400 067 10	112	40 07157 57593 7
New!	1/4"	4"	4.2	1.4"	0.24"	12		400 653 10	79	40 07157 53627 3
	1/4"	6"	4.2	1.4"	0.24"	12		400 655 10	102	40 07157 52799 8
New!	1/4"	8"	4.2	1.4"	0.24"	12		400 657 10	112	40 07157 53629 7
	5/16"	7"	4.4	1.5"	0.31"	12		400 086 10	135	40 07157 52801 8
	3/8"	8"	4.4	1.5"	0.31"	6		400 107 10	162	40 07157 53681 5

401




	PZ								EAN-Code	Item No
	1	3 1/8"	3.7	1.2"	0.18"	12		401 102 10	50	40 07157 53683 9
	2	4"	4.2	1.4"	0.24"	12		401 203 10	92	40 07157 53685 3
	3	6"	4.4	1.5"	0.31"	6		401 305 10	148	40 07157 53687 7

402



	PH								EAN-Code	Item No
	1	3 1/8"	3.7	1.2"	0.18"	12		402 102 10	50	40 07157 52803 2
	2	4"	4.2	1.4"	0.24"	12		402 203 10	92	40 07157 52805 6
	2	6"	4.2	1.4"	0.24"	12		402 205 10	103	40 07157 53637 2
	2	8"	4.2	1.4"	0.24"	6		402 207 10	114	40 07157 53639 6
	3	6"	4.4	1.5"	0.31"	6		402 305 10	146	40 07157 53689 1

404



SQ						404		EAN-Code	Item No
1	5"	3.7"	1.2"	0.18"	12	404 100 40	56	40 07157	53507 8
2	6"	4.2"	1.4"	0.20"	12	404 200 40	91	40 07157	53509 2
3	6"	4.2"	1.4"	0.24"	12	404 300 40	105	40 07157	53511 5


New!

407



TorxTR						407		EAN-Code	
10	4"	3.4"	1"	0.14"	12	407 103 40	33	40 07157	60903 8
15	4"	3.7"	1.2"	0.16"	12	407 153 40	50	40 07157	60905 2
20	4"	3.9"	1.3"	0.16"	12	407 203 40	68	40 07157	60907 6
25	4"	4.2"	1.4"	0.20"	12	407 253 40	82	40 07157	60909 0

408



Torx						408		EAN-Code	Item No
7	2 3/8"	3.4"	1"	0.12"	12	408 071 40	27	40 07157	52807 0
8	2 3/8"	3.4"	1"	0.12"	12	408 083 40	29	40 07157	52809 4
9	2 3/8"	3.4"	1"	0.14"	12	408 093 40	29	40 07157	52811 7
10	4"	3.4"	1"	0.14"	12	408 103 40	45	40 07157	52813 1
15	4"	3.7"	1.2"	0.16"	12	408 153 40	45	40 07157	52815 5
20	4"	3.9"	1.3"	0.20"	12	408 203 40	69	40 07157	52817 9
25	4"	4.2"	1.4"	0.20"	12	408 253 40	69	40 07157	52819 3
27	4"	4.2"	1.4"	0.20"	12	408 273 40	69	40 07157	52821 6
30	4 1/2"	4.4"	1.5"	0.24"	6	408 303 40	96	40 07157	52823 0
40	5"	4.4"	1.5"	0.31"	6	408 404 40	143	40 07157	52825 4