



*New Standard
in Lighting*



DURABLE
weather
LED Vapor PROOF



LED VaporProof Fixture

These lights are universal, have a nice design and can be used anywhere, both in commercial and residential environment: parking lots, backyards, walkways, industrial spaces – any places where you need bright and constant light.

- ▶ Contemporary design
- ▶ 3500K, 4000K & 5000K available
- ▶ Resistance to high and low temperatures
- ▶ PIR sensor compatible
- ▶ Low energy consumption
- ▶ No maintenance costs
- ▶ Suitable for Damp Locations
- ▶ Life time > 100,000 hrs.
- ▶ 5-year limited warranty

ASD LED VaporProof Fixtures have the following certifications:



All ASD LED VaporProof Fixture produce a bright direct light and are moisture and dust resistant.





Standard Series

ASD cULus listed and DLC approved Vapor Proof (Vapor Tight fixtures) are the perfect choice for harsh applications such as car washes, parking garages, stairwells, commercial kitchens, walk-in coolers, etc. They are made from a polycarbonate housing and do not lose their luster. They are dustproof and suitable for wet locations.

- 90 lm/Watt
- Available in 4ft and 5ft sizes
- Color Temperature 4000 K/5000 K
- Clear ribbed lens



High Efficiency Series

- 110 lm/Watt
- Available in 4ft and 8ft sizes
- Color Temperature 3500 K/4000 K/5000 K
- Translucent white lens
- Models with PIR motion sensor



Product Package

LED VaporProof Fixture



LED VaporProof fixtures come
in modern and functional packaging



LED VaporProof Fixture



INNOVATIVE
DESIGN 

WET
LOCATIONS
RATED



 DURABLE

EASY 
installation



4FT AND 8FT
MODELS AVAILABLE

5 YEAR 
WARRANTY

EASY ELECTRICAL
WIRING 

100,000+ hours
LED lifetime 

VERY STRONG
AND RELIABLE 
POLYCARBONATE BODY

MOUNTING
ACCESSORIES 
ARE INCLUDED



LED VaporProof Fixture

ELECTRICAL PLATE

Made of AL6063. For LED heat rejection and fixed electric device

MOUNTING BRACKET

Made of corrosion resistant plate

BODY

Made of PC resistant to aging and warping

CONNECTOR

3/8" metal conduit. 2PCS to easily linked together

INFRARED SENSORS

Only models with PIR motion sensor

JUNCTION BOX

2PCS to easily linked together


LEDS

Usage of leds allow even distribution of heat energy which improves heat rejection for the array significantly and lifespan

JUNCTION BOX

DRIVER

Ensures stable operation during a power surge.





LED VaporProof Fixture



CONTEMPORARY
LOW PROFILE
DESIGN



WET
LOCATIONS
RATED



IP66



DURABLE

EASY
installation



OPERATING
TEMPERATURE

RANGE OF -4 - 104°F

MOUNTING
ACCESSORIES
ARE INCLUDED



BEST VALUE
IN THE MARKET



DUSTPROOF
AND WATERPROOF



wide variety of applications

100,000+ hours

LED lifetime



NO MAINTENANCE
REQUIRED



Multiple fixtures

can be linked together




5 YEAR
WARRANTY





VaporProof Fixture structure

LED VaporProof Fixture





LED VaporProof Fixture

High Efficiency Series



Our LED Vaporproof Fixtures are made for general lighting areas and are able to withstand extreme dust and moisture – Car washes, parking garages, kitchens, showers, under canopy lighting and more.

**Models: ASD-LVP4N3135MHE
ASD-LVP4N3140MHE
ASD-LVP4N3150MHE**



- 47.2"x4.17"x3.3"
- 31 W
- 100-277V
50/60Hz
- 3410 Lm
- IP66
- 3500 K
4000 K
5000 K

**Models: ASD-LVP2SM-4N3135HE
ASD-LVP2SM-4N3140HE
ASD-LVP2SM-4N3150HE**



- 48"x3.54"x3.15"
- 31 W
- 100-277V
50/60Hz
- 3410 Lm
- IP66
- 3500 K
4000 K
5000 K

**Models: ASD-LVP2SM-8N6035HE
ASD-LVP2SM-8N6040HE
ASD-LVP2SM-8N6050HE**



- 94.5"x3.54"x3.15"
- 60 W
- 100-277V
50/60Hz
- 6600 Lm
- IP66
- 3500 K
4000 K
5000 K





High Efficiency Series



LED Vaporproof Fixtures with PIR motion sensor models.

Models: ASD-LVP4N3135MHE-MS
ASD-LVP4N3150MHE-MS



- 47.2"x4.17"x3.3"
- 31 W
- 100-277V
50/60Hz
- 3410 Lm
- IP66
- 3500 K
4000 K
5000 K

Models: ASD-LVP2SM-4N3135HE-MS
ASD-LVP2SM-4N3150HE-MS




- 48"x3.54"x3.15"
- 31 W
- 100-277V
50/60Hz
- 3410 Lm
- IP66
- 3500 K
4000 K
5000 K

Models: ASD-LVP2SM-8N6035HE-MS
ASD-LVP2SM-8N6050HE-MS



- 94.5"x3.54"x3.15"
- 60 W
- 100-277V
50/60Hz
- 6600 Lm
- IP66
- 3500 K
4000 K
5000 K





LED VaporProof Fixture

Standard Series



Models: ASD-LVP44040, ASD-LVP44050




- 47.2"x4.17"x3.3"
- 40 W
- 100-277V
50/60Hz
- 3600 Lm
- IP66
- 4000 K
5000 K

Models: ASD-LVP66040, ASD-LVP66050



- 59.1"x4.17"x3.3"
- 60 W
- 100-277V
50/60Hz
- 5400 Lm
- IP66
- 4000 K
5000 K





ASD Lighting Corp. Growth

ASD Lighting Corporation

Regular market research and offering new, modern and affordable products along with consistently high quality are the main components of our success.

Our engineers constantly strive to create high-quality affordable products for our customers.

We are the "New Standard in Lighting". We develop new energy saving technologies along with affordable prices for everyone.

ASD Lighting is 100% committed to the satisfaction of our customers. We are constantly improving our products and never stop our development.



ASD Lighting Corp.

120 Shawmut Rd, Canton, MA 02021

- Phone: 781-739-3977
- Fax: 339-502-8970
- E-mail: info@asd-lighting.com

www.asd-lighting.com

*New Standard
in Lighting*

