

ASTROFIT 4" INTERCHAGEABLE RETROFIT MODULE




ITEM		G-21400	
DESCRIPTION	M/R4/10W/LED/5CCT	BASE	E26 Medium Base
COLOR TEMP	27, 30, 35, 41, 50k	WATTAGE	10W
OUTPUT LUMEN	1000	CRI	90>
HEIGHT	3.35	DIMMABLE	Triac
OD	5.31	PACKED	18
INPUT VOLTS	120V	BEAM ANGLE	40° (Default Included)

Additional Lens Options



ITEM	G-11022	G-11023	G-11024
DESCRIPTION	L4/24-DEGREE	L4/40-DEGREE	L4/60-DEGREE




ITEM	G-11025	G-11026
DESCRIPTION	L4/REFLECTOR/30°	L4/REFLECTOR/60°



ITEM	G-11020
DESCRIPTION	L4/FROSTED/80°



ITEM	G-21440
DESCRIPTION	4/HEX/HC/DIFFUSER



Dimmable:
Down to 5%

Lifetime:
50,000 hours

Warranty:
3 years

Interchangeable
lens

CRI 90+
TRUE COLORS

INTERCHANGEABLE
COLOR TEMPERATURE

WET
LOCATION

AIR
TIGHT

JA8
TITLE 24

ETL
LISTED US

FCC

Trims

Pack: 24



G-21410

T/RT4/R/WT

White

Round



G-21411

T/RT4/R/BK

Black

Round



G-21412

T/RT4/R/BW

Two-Tone

Round



G-21413

T/RT4/R/BZ

Bronze

Round



G-21414

T/RT4/R/BN

Brushed Nickel

Round



G-21415

T/RT4/R/BB

Brushed Brass

Round



G-21420

T/RT4/SQ/WT

White

Square



G-21421

T/RT4/SQ/BK

Black

Square



G-21422

T/RT4/SQ/BW

Two-Tone

Square




G-21423

T/RT4/SQ/BZ

Bronze

Square



G-21424

T/RT4/SQ/BN

Brushed Nickel

Square




G-21425

T/RT4/SQ/BB

Brushed Brass

Square

Diagram



Dimmer List

BRAND	SERIES	MODEL	LOAD	BRAND	SERIES	MODEL	LOAD
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	10464	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W