



Phillips

PHILLIPS POINT #	SHEET METAL SCREWS	WOOD SCREWS		MACHINE SCREWS		
	FLAT, ROUND, OVAL STOVE BINDING	FLAT, OVAL	ROUND	FLAT, OVAL BINDING	ROUND, FILLISTER	TRUSS, BRAZIER BUTTON
0	0, 1	0, 1	0, 1	0, 1	0, 1	0, 1
1	2, 3, 4	2, 3, 4	2, 3, 4	2, 3, 4	2, 3, 4	2, 3, 4, 5
2	5, 6, 7, 8, 10	5, 6, 7, 8, 9	5, 6, 7, 8, 9, 10	5, 6, 8, 10	5, 6, 8, 10	6, 8, 10
3	12, 14	10, 12, 14, 16	12, 14, 16	12, 1/4"	12, 1/4", 5/16"	12, 1/4"

Slotted

SLOTTED POINT #	SCREW SIZE	SLOT SCREW WIDTH		THREAD DIA.	MAXIMUM HEAD DIAMETER					
		MIN.	MAX.		FLAT or OVAL HEAD	ROUND HEAD	FILLISTER HEAD	BINDING HEAD	PAN HEAD	TRUSS HEAD
4-5	3	.027	.035	.099	.199	.187	.161	.208	.193	.226
4-5	4	.031	.039	.112	.225	.211	.183	.235	.219	.257
6-8	5	.035	.043	.125	.252	.236	.205	.263	.245	.289
8-10	6	.039	.048	.138	.279	.260	.226	.290	.270	.321
10-12	8	.045	.054	.164	.332	.309	.270	.344	.322	.384

Square

SQUARE POINT #	TAPPING SCREWS	WOOD SCREWS	MACHINE SCREWS
0	3, 4	3, 4	3, 4
1	5, 6, 7	5, 6, 7	5, 6
2	8, 10	8, 9, 10	8, 10
3	12, 14	12, 14	12, 14

Star **FOR TORX® SCREWS.**

SCREW SIZE	THREAD DIA.	INTERNAL TORX WASHER HEAD	PAN HEAD	FLAT HEAD	HEX HEAD	TRUSS HEAD	FILLISTER HEAD	OVAL HEAD	SOCKET HEAD CAP	SOCKET SET SCREW
2	.086	T7	T7	T6						
3	.099	T8	T8	T7						
4	.112	T9	T9	T8	T9		T9		T10	T6
5	.125	T10	T10	T9	T10		T10	T10	T10	T7
6	.138	T15	T15	T10	T15	T10	T15	T15	T15	T7
8	.164	T20	T20	T15	T20	T15	T20	T20	T25	T8
10	.190	T25	T25	T20	T25	T20	T25	T25	T27	T10
12	.216	T27	T27	T25	T27	T25	T27	T27	T27	T10
1/4"	.250	T30	T30	T27	T30	T27	T30	T30	T30	T20
5/16"	.312			T40	T40	T40	T340	T40	T45	T27
3/8"	.375		T45	T40	T45	T45	T45	T45	T50	T30
7/16"	.437		T50	T50		T45	T50	T50	T55	T40
1/2"	.500		T55	T50		T50	T55	T50	T55	T45



Insert Bit Countertop Dispenser

Part #	Type	Qty.
BITDIS	EMPTY DISPLAY	1

KEEP YOUR INSERT BITS AND NUT SETTERS SAFE AND ORGANIZED.

- ◆ Sold Empty
- ◆ Make Your Own Assortment
- ◆ Display Made In Canada





INTERNATIONAL TOOL MANUFACTURING
150 Express St. Plainview, NY 11803
(516) 738-0388 • (800) 247-5696
Fax (516) 279-1106



Phillips® Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-025-00	#0 X 1"		PHILLIPS INSERT	25
T3-025-01	#1 X 1"		PHILLIPS INSERT	25
T3-025-02	#2 X 1"		PHILLIPS INSERT	25
T3-025-03	#3 X 1"		PHILLIPS INSERT	25
T3-025-04	#4 X 1"		PHILLIPS INSERT	25



Reduced Body

Phillips® Drywall Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-025-1W	#1 X 1"		PHILLIPS DRYWALL	25
T3-025-2W	#2 X 1"		PHILLIPS DRYWALL	25



Phillips® Insert Bits - 5/16" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-032-01	#1 X 1-1/4"		PHILLIPS INSERT	25
T3-032-02	#2 X 1-1/4"		PHILLIPS INSERT	25
T3-032-03	#3 X 1-1/4"		PHILLIPS INSERT	25



Phillips® Stopper - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
SP-025-2P	#2 X 1"		PHILLIPS STOPPER	25



Phillips® ACR® Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
ACR-025-01	#1 X 1"		PHILLIPS ACR INSERT	25
ACR-025-02	#2 X 1"		PHILLIPS ACR INSERT	25
ACR-025-03	#3 X 1"		PHILLIPS ACR INSERT	25



Phillips® Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-050-01	#1 X 2"		PHILLIPS POWER	25
T3-070-01	#1 X 2-3/4"		PHILLIPS POWER	25
T3-075-01	#1 X 3"		PHILLIPS POWER	25
T3-090-01	#1 X 3-1/2"		PHILLIPS POWER	25
T3-100-01	#1 X 4"		PHILLIPS POWER	25
T3-125-01	#1 X 5"		PHILLIPS POWER	25
T3-150-01	#1 X 6"		PHILLIPS POWER	25
T3-050-02	#2 X 2"		PHILLIPS POWER	25
T3-070-02	#2 X 2-3/4"		PHILLIPS POWER	25
T3-075-02	#2 X 3"		PHILLIPS POWER	25
T3-090-02	#2 X 3-1/2"		PHILLIPS POWER	25
T3-100-02	#2 X 4"		PHILLIPS POWER	25
T3-125-02	#2 X 5"		PHILLIPS POWER	25
T3-150-02	#2 X 6"		PHILLIPS POWER	25
T3-050-03	#3 X 2"		PHILLIPS POWER	25
T3-070-03	#3 X 2-3/4"		PHILLIPS POWER	25
T3-075-03	#3 X 3"		PHILLIPS POWER	25
T3-090-03	#3 X 3-1/2"		PHILLIPS POWER	25
T3-100-03	#3 X 4"		PHILLIPS POWER	25
T3-125-03	#3 X 5"		PHILLIPS POWER	25
T3-150-03	#3 X 6"		PHILLIPS POWER	25



Reduced Body

Phillips® Drywall Bits

Part #	Size	OAL	Type	Qty.
T3-050-2W	#2 X 2"		PHILLIPS DRYWALL	25
T3-070-2W	#2 X 2-3/4"		PHILLIPS DRYWALL	25
T3-090-2W	#2 X 3-1/2"		PHILLIPS DRYWALL	25



Phillips® ACR® Power Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
ACR-050-01	#1 X 2"		PHILLIPS ACR POWER	25
ACR-050-02	#2 X 2"		PHILLIPS ACR POWER	25
ACR-050-03	#3 X 2"		PHILLIPS ACR POWER	25



For Torx® Screws

Star Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
TX-025-06	T6	X 1"	STAR INSERT	25
TX-025-07	T7	X 1"	STAR INSERT	25
TX-025-08	T8	X 1"	STAR INSERT	25
TX-025-09	T9	X 1"	STAR INSERT	25
TX-025-10	T10	X 1"	STAR INSERT	25
TX-025-15	T15	X 1"	STAR INSERT	25
TX-025-20	T20	X 1"	STAR INSERT	25
TX-025-25	T25	X 1"	STAR INSERT	25
TX-025-27	T27	X 1"	STAR INSERT	25
TX-025-30	T30	X 1"	STAR INSERT	25
TX-025-40	T40	X 1"	STAR INSERT	25



For Torx® Screws

Star Insert Bits - 5/16" Hex Shank

Part #	Size	OAL	Type	Qty.
TX-032-30	T30	X 1-1/4"	STAR INSERT	25
TX-032-40	T40	X 1-1/4"	STAR INSERT	25
TX-032-45	T45	X 1-1/4"	STAR INSERT	25
TX-032-50	T50	X 1-1/4"	STAR INSERT	25
TX-032-55	T55	X 1-1/4"	STAR INSERT	25



For Torx® Screws

Star Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
TX-050-10	T10	X 2"	STAR POWER	25
TX-150-10	T10	X 6"	STAR POWER	25
TX-050-15	T15	X 2"	STAR POWER	25
TX-150-15	T15	X 6"	STAR POWER	25
TX-050-20	T20	X 2"	STAR POWER	25
TX-150-20	T20	X 6"	STAR POWER	25
TX-050-25	T25	X 2"	STAR POWER	25
TX-150-25	T25	X 6"	STAR POWER	25
TX-050-27	T27	X 2"	STAR POWER	25
TX-150-27	T27	X 6"	STAR POWER	25
TX-050-30	T30	X 2"	STAR POWER	25
TX-150-30	T30	X 6"	STAR POWER	25
TX-050-40	T40	X 2"	STAR POWER	25
TX-150-40	T40	X 6"	STAR POWER	25



Square Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-R25-00	#0	X 1"	SQUARE INSERT	25
T3-R25-01	#1	X 1"	SQUARE INSERT	25
T3-R25-02	#2	X 1"	SQUARE INSERT	25
T3-R25-03	#3	X 1"	SQUARE INSERT	25



Square Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
T3-R50-01	#1	X 2"	SQUARE POWER	25
T3-R70-01	#1	X 2-3/4"	SQUARE POWER	25
T3-R75-01	#1	X 3"	SQUARE POWER	25
T3-R90-01	#1	X 3-1/2"	SQUARE POWER	25
T3-R10-01	#1	X 4"	SQUARE POWER	25
T3-R12-01	#1	X 5"	SQUARE POWER	25
T3-R15-01	#1	X 6"	SQUARE POWER	25
T3-R50-02	#2	X 2"	SQUARE POWER	25
T3-R70-02	#2	X 2-3/4"	SQUARE POWER	25
T3-R75-02	#2	X 3"	SQUARE POWER	25
T3-R90-02	#2	X 3-1/2"	SQUARE POWER	25
T3-R10-02	#2	X 4"	SQUARE POWER	25
T3-R12-02	#2	X 5"	SQUARE POWER	25
T3-R15-02	#2	X 6"	SQUARE POWER	25
T3-R50-03	#3	X 2"	SQUARE POWER	25
T3-R70-03	#3	X 2-3/4"	SQUARE POWER	25
T3-R75-03	#3	X 3"	SQUARE POWER	25
T3-R90-03	#3	X 3-1/2"	SQUARE POWER	25
T3-R10-03	#3	X 4"	SQUARE POWER	25
T3-R12-03	#3	X 5"	SQUARE POWER	25
T3-R15-03	#3	X 6"	SQUARE POWER	25


Quick Change Extensions
P. 76

- ◆ S2 Modified Steel
- ◆ Rc. 58-62 Heat Treated
- ◆ German Grade Steel





INTERNATIONAL TOOL MANUFACTURING

150 Express St. Plainview, NY 11803

(516) 738-0388 • (800) 247-5696

Fax (516) 279-1106



Pozidriv® Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
PZ-025-01	#1 X 1"		POZIDRIV INSERT	25
PZ-025-02	#2 X 1"		POZIDRIV INSERT	25
PZ-025-03	#3 X 1"		POZIDRIV INSERT	25



Pozidriv® Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
PZ-050-01	#1 X 2"		POZIDRIV POWER	25
PZ-050-02	#2 X 2"		POZIDRIV POWER	25
PZ-075-02	#2 X 3"		POZIDRIV POWER	25
PZ-050-03	#3 X 2"		POZIDRIV POWER	25



Slotted Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
ST-025-04	#4-5 X 1"		SLOTTED INSERT	25
ST-025-08	#6-8 X 1"		SLOTTED INSERT	25
ST-025-10	#8-10 X 1"		SLOTTED INSERT	25
ST-025-12	#10-12 X 1"		SLOTTED INSERT	25



Slotted Power Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
ST-050-04	#4-5 X 2"		SLOTTED POWER	25
ST-050-08	#6-8 X 2"		SLOTTED POWER	25
ST-050-10	#8-10 X 2"		SLOTTED POWER	25
ST-070-10	#8-10 X 3"		SLOTTED POWER	25
ST-090-10	#8-10 X 3-1/2"		SLOTTED POWER	25
ST-050-12	#10-12 X 2"		SLOTTED POWER	25

- ◆ S2 Modified Steel
- ◆ Rc. 58-62 Heat Treated
- ◆ German Grade Steel



Hex Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
HE-25-564	5/64" X 1"		HEX INSERT	25
HE-25-332	3/32" X 1"		HEX INSERT	25
HE-25-764	7/64" X 1"		HEX INSERT	25
HE-25-864	1/8" X 1"		HEX INSERT	25
HE-25-532	5/32" X 1"		HEX INSERT	25
HE-25-316	3/16" X 1"		HEX INSERT	25



Hex Insert Bits - 5/16" Hex Shank

Part #	Size	OAL	Type	Qty.
HE-32-316	3/16" X 1-1/4"		HEX INSERT	25
HE-32-732	7/32" X 1-1/4"		HEX INSERT	25
HE-32-014	1/4" X 1-1/4"		HEX INSERT	25



Double End Bits - 1/4" Hex Shank

Part #	Size	Qty.
DW-050-22	#2 PHILLIPS / #2 PHILLIPS	25
DW-050-26	#2 PHILLIPS / #6-8 SLOTTED	25
DW-050-28	#2 PHILLIPS / #8-10 SLOTTED	25



Phillips® Impact Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
BLU-025-02	#2 X 1-3/16"		PHILLIPS IMPACT	25
BLU-050-02	#2 X 2"		PHILLIPS IMPACT	25
BLU-025-03	#3 X 1-3/16"		PHILLIPS IMPACT	25
BLU-050-03	#3 X 2"		PHILLIPS IMPACT	25





Spanner Insert Bits - 1/4" Hex Shank

Part #	Size	OAL	Type	Qty.
SP-025-06	#6 X 1"		SPANNER	25
SP-025-08	#8 X 1"		SPANNER	25
SP-025-10	#10 X 1"		SPANNER	25
SP-025-12	#12 X 1"		SPANNER	25
SP-025-14	#14 X 1"		SPANNER	25



Hex Tamper Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
TH-25-332	3/32" X 1"		HEX TAMPER	25
TH-25-018	1/8" X 1"		HEX TAMPER	25
TH-25-964	9/64" X 1"		HEX TAMPER	25
TH-25-532	5/32" X 1"		HEX TAMPER	25
TH-25-316	3/16" X 1"		HEX TAMPER	25
TH-25-732	7/32" X 1"		HEX TAMPER	25
TH-25-014	1/4" X 1"		HEX TAMPER	25
TH-25-516	5/16" X 1"		HEX TAMPER	25



For TAMPER RESISTANT Torx® Screws

Star Tamper Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
TT-025-08	T8 X 1"		STAR TAMPER	25
TT-025-09	T9 X 1"		STAR TAMPER	25
TT-025-10	T10 X 1"		STAR TAMPER	25
TT-025-15	T15 X 1"		STAR TAMPER	25
TT-025-20	T20 X 1"		STAR TAMPER	25
TT-025-25	T25 X 1"		STAR TAMPER	25
TT-025-27	T27 X 1"		STAR TAMPER	25
TT-025-30	T30 X 1"		STAR TAMPER	25
TT-025-40	T40 X 1"		STAR TAMPER	25



Tri-Wing® Tamper Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
TRI-25-01	#1 X 1"		TRI-WING	25
TRI-25-02	#2 X 1"		TRI-WING	25
TRI-25-03	#3 X 1"		TRI-WING	25



For TAMPER RESISTANT Torx® Screws


Star Tamper Insert Bits - 5/16" Hex

Part #	Size	OAL	Type	Qty.
TT-032-45	T45 X 1-1/4"		STAR TAMPER	25
TT-032-50	T50 X 1-1/4"		STAR TAMPER	25
TT-032-55	T55 X 1-1/4"		STAR TAMPER	25



Phillips® Tamper Insert Bits - 1/4" Hex

Part #	Size	OAL	Type	Qty.
TP-025-02	#2 X 1"		PHILLIPS TAMPER	25
TP-025-03	#3 X 1"		PHILLIPS TAMPER	25



Quick Change Extensions
P. 76

- ◆ S2 Modified Steel
- ◆ Rc. 58-62 Heat Treated
- ◆ German Grade Steel





INTERNATIONAL TOOL MANUFACTURING

150 Express St. Plainview, NY 11803

(516) 738-0388 • (800) 247-5696

Fax (516) 279-1106



SOLD INDIVIDUALLY.

Bit Holders - Stainless Steel - Magnetic

Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-020-RC	1-3/4"	7/16"	NO	2PC. CONSTRUCTION	

Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-040-RC	1-13/16"	7/16"	YES	1PC. CONSTRUCTION	

BLUE SHOCK



Made in Germany

Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-060-BLU	2-1/2"	7/16"	YES	2PC. CONSTRUCTION	



Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-060-RC	2-5/8"	7/16"	YES	1PC. CONSTRUCTION	

BH-060-40 made of Chrome Vanadium.



Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-060-40	2-5/8"	3/8"	NO	2PC. CONSTRUCTION	



Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-075-14	3"	7/16"	NO	2PC. CONSTRUCTION	



Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-075-14R	3"	7/16"	YES	2PC. CONSTRUCTION	



Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-075-RC	3"	7/16"	YES	1PC. CONSTRUCTION	



Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-100-TR	3"	7/16"	THREADED	1PC. CONSTRUCTION	



Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-100-RC	4"	7/16"	YES	1PC. CONSTRUCTION	



Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-150-RC	6"	7/16"	YES	1PC. CONSTRUCTION	

SOLD INDIVIDUALLY.



1/2" DRILL



IMPACT DRIVER



1/4" HEX IMPACT SHANK



MAGNETIC

5/16" Bit Holders - Stainless Steel - Magnetic

Part #	OAL	Body Dia.	Retaining Ring	Description	
LBH-1	3-1/2"	1/2"	YES	2PC. CONSTRUCTION	
LBH-2	3"	1/2"	YES	1PC. CONSTRUCTION	



1/4" IMPACT SHANK



5/16" IMPACT SHANK

Bit Holders - Special Application - Magnetic

Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-050-LK	2"	9/16"	YES / LOCK	SNAP LOCK HOLDER	
BH-075-LK	3"	9/16"	YES / LOCK	SNAP LOCK HOLDER	



Pull back system locks in bits.



Sleeve extends up to 8" (on 5" length sleeve guide) to hold screw while fastening.

Part #	OAL	Body Dia.	Retaining Ring	Description	
BH-075-SL	3"	7/16"	NO	SLEEVE GUIDE HOLDER	
BH-125-SL	5"	7/16"	NO	SLEEVE GUIDE HOLDER	

Part #	OAL	Body Dia.	Retaining Ring	Description	
FX-075-01	7-1/4"	1/2"	YES / BALL	FLEXIBLE BIT HOLDER	



Flexible shaft can bend up to 45° for those hard to reach areas.

Part #	OAL	Body Dia.	Retaining Ring	Description	
QUI0001	1-3/4"	13/16"	LOCK	METAL/SPRING OUT	



Chucks have a quick insert / quick spring out system for easy bit changing. Locks in bits. Use with 2"+ POWER bits only!!!

Lag Driver / Ceiling Tile Hanger Driver

Part #	OAL	Body Dia.	Driver Size	Description	
CE-075-14SL	2-1/2"	5/8"	7/16"	LAG DRIVER WITH SLEEVE	



For eye lag screws to install suspended drop down ceilings.




INTERNATIONAL TOOL MANUFACTURING
150 Express St. Plainview, NY 11803
(516) 738-0388 • (800) 247-5696
Fax (516) 279-1106



SOLD INDIVIDUALLY.



1/4"
DRIVE



1/4" Square Drive Extension


Part #	OAL
AD-025-14	1"
AD-032-14	1-1/4"
AD-050-14	2"
AD-075-14	3"
AD-100-14	4"
AD-150-14	5"
AD-200-14	6"

1/4" Square Drive Impact Sockets

Part #	Hex Size	Length (A)	Body (B)	Nose (C)
250ST1264	3/16"	15/16"	1/2"	3/8"
250ST1664	1/4"	15/16"	1/2"	7/16"
250ST2064	5/16"	15/16"	1/2"	1/2"
250ST2464	3/8"	1"	5/8"	9/16"
250ST3264	1/2"	1"	3/4"	3/4"



3/8"
DRIVE



3/8" Square Drive Extension


Part #	OAL
AD-050-38	2"
AD-075-38	3"
AD-100-38	4"
AD-150-38	6"
AD-200-38	8"

3/8" Square Drive Impact Sockets

Part #	Hex Size	Length (A)	Body (B)	Nose (C)
375ST1664	1/4"	1-1/4"	3/4"	7/16"
375ST2064	5/16"	1-1/4"	3/4"	1/2"
375ST2464	3/8"	1-1/4"	3/4"	9/16"
375ST3264	1/2"	1-1/2"	15/16"	3/4"



1/2"
DRIVE



1/2" Square Drive Extension

Part #	OAL
AD-055-12	2-1/8"
AD-075-12	3"
AD-150-12	6"
AD-200-12	8"

1/2" Square Drive Impact Sockets

Part #	Hex Size	Length (A)	Body (B)	Nose (C)
500ST1664	1/4"	1-1/2"	15/16"	7/16"
500ST2064	5/16"	1-1/2"	15/16"	1/2"
500ST2464	3/8"	1-1/2"	15/16"	9/16"
500ST3264	1/2"	1-1/2"	15/16"	3/4"

Nut Setters - Magnetic Impact Protection

Part #	Hex Head Size	X	OAL	Type	Qty.
IMP-042-16	1/4"	X	1-3/4"	MAG. IMPACT	10
IMP-065-16	1/4"	X	2-9/16"	MAG. IMPACT	10
IMP-075-16	1/4"	X	4"	MAG. IMPACT	5
IMP-085-16	1/4"	X	6"	MAG. IMPACT	5
IMP-042-20	5/16"	X	1-3/4"	MAG. IMPACT	10
IMP-065-20	5/16"	X	2-9/16"	MAG. IMPACT	10
IMP-075-20	5/16"	X	4"	MAG. IMPACT	5
IMP-085-20	5/16"	X	6"	MAG. IMPACT	5
IMP-042-24	3/8"	X	1-3/4"	MAG. IMPACT	10
IMP-065-24	3/8"	X	2-9/16"	MAG. IMPACT	10
IMP-075-24	3/8"	X	4"	MAG. IMPACT	5
IMP-085-24	3/8"	X	6"	MAG. IMPACT	5
IMP-085-40	9/16"	X	6"	MAG. IMPACT	5

Nut Setters - Magnetic (Standard)

Part #	Hex Head Size	X	OAL	Type	Qty.
NS-042-16	1/4"	X	1-3/4"	MAG. NUT SETTER	10
NS-053-16	1/4"	X	2-1/8"	MAG. NUT SETTER	10
NS-065-16	1/4"	X	2-9/16"	MAG. NUT SETTER	10
NS-075-16	1/4"	X	4"	MAG. NUT SETTER	5
NS-085-16	1/4"	X	6"	MAG. NUT SETTER	5
NS-042-20	5/16"	X	1-3/4"	MAG. NUT SETTER	10
NS-053-20	5/16"	X	2-1/8"	MAG. NUT SETTER	10
NS-065-20	5/16"	X	2-9/16"	MAG. NUT SETTER	10
NS-075-20	5/16"	X	4"	MAG. NUT SETTER	5
NS-085-20	5/16"	X	6"	MAG. NUT SETTER	5
NS-042-24	3/8"	X	1-3/4"	MAG. NUT SETTER	10
NS-053-24	3/8"	X	2-1/8"	MAG. NUT SETTER	10
NS-065-24	3/8"	X	2-9/16"	MAG. NUT SETTER	10
NS-075-24	3/8"	X	4"	MAG. NUT SETTER	5
NS-085-24	3/8"	X	6"	MAG. NUT SETTER	5
NS-042-28	7/16"	X	1-3/4"	MAG. NUT SETTER	5
NS-053-28	7/16"	X	2-1/8"	MAG. NUT SETTER	5
NS-065-28	7/16"	X	2-9/16"	MAG. NUT SETTER	5
NS-042-32	1/2"	X	1-3/4"	MAG. NUT SETTER	5
NS-065-32	1/2"	X	2-9/16"	MAG. NUT SETTER	5



- ◆ 1/4" Hex Impact Shank
- ◆ Made for Powerful Impact Drivers / Wrenches
- ◆ 1pc Construction
- ◆ Industrial Grade Magnet



1-3/4" Long



2-9/16" Long



4" Long



- ◆ 1/4" Hex Impact Shank
- ◆ 1pc Construction
- ◆ Industrial Grade Magnet



1-3/4" Long




2-1/8" Long



2-9/16" Long



4" Long





COMES WITH CASE AND HANDLE!



30 Pc. Screwdriver Insert Set - STANDARD

Part #	Description	
ST-100-30	⌘ Phillips: #1, #2, #3 ⌘ Slotted: 3-4, 4-5, 6-8, 8-10 ⌘ Posidriv: #1, #2, #3 ⌘ Square: #0, #1, #2, #3 ⌘ Hex: 5/64", 3/32", 7/64", 1/8", 9/64" ⌘ Star: T10, T15, T20, T25, T27, T30, T40 • 1" Long Socket Adaptor • 3" Long Bit Holder	

COMES WITH CASE AND HANDLE!



30 Pc. Screwdriver Insert Set - TAMPER PROOF

Part #	Description	
TR-100-30	⌘ Spanner: #6, #8, #10 ⌘ Posidriv: #1, #2, #3 ⌘ Tri-Wing: #1, #2, #3 ⌘ Hex Tamper: 3/32", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" ⌘ Star Tamper: T8, T9, T10, T15, T20, T25, T27, T30, T40 • 1" Long Socket Adaptor • 3" Long Bit Holder	



32 Pc. Screwdriver Insert Set - STANDARD

Part #	Description	
TECH-32	⌘ Phillips: #0, #1, #2 (2), #3, #2DW (2) ⌘ Slotted: 6-8, 8-10, 10-12 ⌘ Square: #0, #1, #2 (3), #3 ⌘ Hex: 5/64", 3/32", 7/64", 1/8", 5/32", 3/16" ⌘ Star: T8, T10, T15, T20, T25, T27, T30, T40 • 1/4" Impact Driver Adaptor • 1/4" Auto Locking Magnetic Bit Holder	



← Belt Clip




32 Pc. Screwdriver Insert Set - TAMPER PROOF

Part #	Description	
TECH-32TR	⌘ Spanner: #6, #8, #10, #12, #14 ⌘ Star Tamper: T8, T9, T10, T15, T20, T25, T27, T30, T40 ⌘ Hex Tamper: 3/32", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" ⌘ Tri-Wing: #1, #2, #3 ⌘ Square: #1, #2, #3 ⌘ Phillips: #2, #3 • 1/4" Impact Driver Adaptor • 1/4" Auto Locking Magnetic Bit Holder	

US PATENT 5265504

Made In



Part #	Description	
MEGAPRO151	15-IN-1 MEGAPRO SCREWDRIVER	
	#0 - #3 PHILLIPS #1 - #2 PHILLIPS #0 - #3 SQUARE #1 - #2 SQUARE #10 - #15 STAR #20 - #25 STAR #4 - #6 SLOTTED	




Part #	Description	
MEGATAM151	15-IN-1 TAMPERPROOF SCREWDRIVER	
	#6 - #8 SPANNER #10 - #12 SPANNER 1/8" - 9/64" HEX PIN 5/32" - 3/16" HEX PIN #10 - #15 STAR PIN #20 - #25 STAR PIN #27 - #30 STAR PIN	



Tamper Proof Tamper Proof Driver sold Individually Tubed.

Part #	Description	
470001	#0 - #3 PHILLIPS®	
470002	#1 - #2 PHILLIPS®	
470003	#0 - #3 SQUARE	
470004	#1 - #2 SQUARE	
470005	#10 - #15 STAR	
470006	#20 - #25 STAR	
470009	#27 - #30 STAR (SPECIAL SIZE)	
470007	#4 - #6 SLOTTED	
690001	#6 - #8 SPANNER	
690002	#10 - #12 SPANNER	
690003	1/8" - 9/64" HEX PIN	
690004	5/32" - 3/16" HEX PIN	
690005	#10 - #15 STAR PIN	
690006	#20 - #25 STAR PIN	
690007	#27 - #30 STAR PIN	



Replacement bits for the Megapro & Megapro Tamper Proof are sold individually.