







STRAIGHT EDGE® ACCESSORIES




CONNECTION ACCESSORIES

"I" Connector		SL-I	Ø¼" × ⅞"	For end-to-end connection of Straight Edge® sections. One "I" connector included with each luminaire.
Joiner Cables		SL-IC-06 SL-IC-12 SL-IC-24 SL-IC-36	6" 12" 24" 36"	Connects two sections of Straight Edge®.
Custom Cable Extenders		SL-IF	Ø⅜" × 3⅝"	Two female ends. Connects two joiner cables to create custom lengths.
4-way "X" Connector		SL-X	Wires: 4" each Connectors: 1⅝" each	"X" connector has four male connectors and can be used to easily customize your design layout.
3-way "Y" Connector		SL-Y	Wires: 4" each Connectors: 1⅝" each	"Y" connector has three male connectors and can be used to easily customize your design layout.





LOW VOLTAGE CONTROL ACCESSORIES

Touch Panel and Motion Sensor		CT-6A-R2	Includes a Touch Panel, an Occupancy Sensor, and a Controller AC/DC input at 12V(60W Max) or 24V(96W Max) Connect on secondary side of driver/transformer	
-------------------------------	---	-----------------	---	--

MOUNTING ACCESSORIES

Flat Mounting Clip (2 pack)		SL-C1-WT	1" × ⅝" × 1¼"	Metal clip used to mount Straight Edge® sections flat to a surface.
45° Angle Mounting Clip (2 pack)		SL-C2-WT	1" × 1" × 1½"	Metal clip used to mount Straight Edge® sections in corners. Set at 45°.
Adjustable Angle Mounting Clip (2 pack)		SL-C3-WT	⅝" × ⅝" × 1¾"	Metal clip used to mount Straight Edge® sections at variable angles.

POWER SUPPLY ACCESSORIES

Wiring Box with On/Off Switch option		TB-S	6¼" × 1⅝" × 1¼"	Use when spanning a large gap in a system layout without leaving exposed wiring (i.e. lighting kitchen cabinets on both sides of a sink or window).
Multiple Terminal Block		MTB-08	8 outputs 4⅞" × 1⅝" × ¾"	Easily wire multiple output connections for a neat installation without the use of open splices. One power supply input and either 6 or 8 outputs. 5A capacity. Three mounting screws included.
12' Extension Cable		SL-EXT-144	Wire: 144" Connector: 1⅝"	Use to extend the distance between power supply or wiring box (TB-S) to a Straight Edge® section.
Wire Clip (10 Pack)		SL-WC-1	½" × ⅜"	Use to tack power cords or joiner cables neatly to a surface.