



JANUARY 2023While Supplies Last!



Scan to see our full **OEM** offering



Scan to see our full WhiteBox offering









STRIPS

- Powered by Keystone 0-10V dimming LED Driver
- Smooth diffused lens
- Compatible with Keystone Smart Safe Emergency backups



AS LOW AS

- Upgrade existing 4" wide strips to LED
- Powered by Keystone 0-10V dimming LED Driver
- Smooth diffused lens for even lighting



VAPOR TIGHTS

- Traditional design, narrow body, suitable for rugged and demanding applications
- IP66 rated
- High impact poly carbonate lens



- Architectural-grade center basket volumetric design
- Low optical flicker
- Powered by Keystone 0-10V dimming LED Driver



TROFFER RETROFIT KITS

- Upgrade existing recessed troffers to LED with center basket design
- Powered by Keystone 0-10V dimming LED Driver
- Low optical flicker



SIZES:

2FT. / 4FT. / 8FT.

WATTAGES:

18W / 19W / 28W/ 44W / 54W

COLOR TEMP:

3500K / 4000K /5000K



2FT. / 4FT. / 8FT.

WATTAGES:

SIZES:

18W / 19W / 28W/ 44W / 54W

COLOR TEMP:

3500K / 4000K /5000K







SIZES:

2FT. / 4FT.

WATTAGES:

18W / 19W / 28W/ 54W / 63W / 90W

COLOR TEMP:

4000K /5000K



SIZES:

2X2 / 2X4

WATTAGES:

24W / 30W / 38W / 45W

COLOR TEMP:

3500K /4000K



SIZES:

2X2 / 2X4

WATTAGES:

23W / 30W / 36W

COLOR TEMP:

3500K /4000K / 5000K





INTEGRATED LED UNDERCAB

- LED surface mount fixture, used for indoor display, task, and accent lighting
- Linkable
- On / Off rocker switch



LINEAR **HIGH BAYS**

- Compact, dual light bar design
- Low glare
- Sensor and emergency battery backup compatible



ROUND HIGH BAYS

- Compact, round high bay design, with mounting hook
- Low glare
- IP66 wet location







LED MODULES

Keystone design and warranty

FIXED OUTPUT

LED DRIVERS

- Wide range of wattages, mA outputs, & dimming types available
- Various case sizes and construction options

- High quality PCBs and LED chips
- Standard mounting configurations
- Low flicker

OEM **DEALS!**





SIZES: 2' / 3' / 4'

WATTAGES: 7W / 12W / 16W

COLOR TEMP: 4000K / 5000K



RoHS Compliant LIFETIME 5VEAR

SIZES: 2FT. / 4FT.

WATTAGES: 90W / 175W /320W

COLOR TEMP: 4000K /5000K



SIZES: 12" / 14" / 17"

WATTAGES:

100W / 150W / 200W

COLOR TEMP: 4000K /5000K



SIZES:

LINEAR / COMPACT / **IP67 OPTIONS**

WATTAGES:

10W - 200W RANGE

DIMMING:

0-10V / TRIAC, PHASE / NONE



SIZES:

LINEAR 5.5" - 44" **CIRCULAR / RECTANGULAR**

WATTAGES:

3W - 65W+ RANGE

COLOR TEMP:

2700K / 3000K / 3500K 4000K / 5000K



RETROFIT KITS, LINEAR

- UL Classified kits used for retrofitting existing fluorescent fixtures
- (2) modules, (1) led driver, (1) hardware kit for mounting included
- Easy to install







RETROFIT KITS, **SHAPED**

- UL Classified kits used for retrofitting round and rectangular surface mounted fixtures
- LED modules and driver pre-mounted to metal pan with hardware kit
- Easy to install







SIZES:

2FT. / 4FT.

LUMENS:

3000lm / 4000lm /5000lm 6000lm

COLOR TEMP:

3000K / 3500K / 4000K 5000K









SIZES:

6" - 11" RECTANGULAR 8" - 13" CIRCULAR

LUMENS:

600lm to 4000lm RANGE

COLOR TEMP:

2700K / 3000K / 3500K 4000K / 5000K

WHO WE ARE

Lighting is our reason for being. It's all we've done Since 1945, developing energy-efficient lighting solutions for the industry's most discerning customers. From legacy fluorescent lighting systems to the latest LED technologies, Keystone is singularly focused on being your one-stop shop for high-quality lighting products.

With over 100 million

Keystone products in use today, thousands of installers, architects, and engineers have come to depend on Keystone for lighting products that are manufactured to last, 100% of every production run is factory tested so you know that when a Keystone product is installed, it's made to perform.

To order or for more information:

EMAIL:

OEMSales@keystonetech.com

Contact your Keystone Sales Manager

