

Project: _____

Part#: _____

Type: _____

2" SnapTrim Downlight

EnVision LED has developed a 2" LED Downlight, available in a straight or adjustable version, that eliminates the need for a can. The external remote junction box mounts inside the ceiling and the fixture is IC Rated. EnVisions 2" downlight features a deep architectural 1.5" baffle reflector that reduces glare and eliminates hot spots. By reducing material cost and installation time, the EnVision SnapTrim is the ideal retrofit or new construction recessed lighting solution yet. Simply cut a hole in the ceiling, power the J-Box to the wall switch, and "snap" the trim flush.



8W



15W



Mix & Match Inner & Outer Trim Styles!

Applications:

- Retrofitting
- New Construction
- Residential Lighting
- Commercial Lighting

Product Information:


- External j-box & spring mount clips for easy installation
- Compatible with most dimmers (e.g. Lutron DVCL-153P)
- Interchangeable faceplates offer versatile style
- Canless module does not require housing

LED-DLJBX-2 - Watts - Color - Trims - Accessory - EMB - Warranty

1 2 3 4 6 7 8 9

1 Product	2 Size	3 Watts	4 Color	6 Trims	7 Accessory	8 EMB	9 Warranty
LED-DLJBX	2 inches	8W 600 lm 15W 1000 lm	27K 2700K 30K 3000K 40K 4000K 50K 5000K	CH-S Smooth Chrome BN-S Brushed Nickel BZ-S Smooth Bronze BZ-BFL Baffled Bronze BLK-S Smooth Black BLK-BFL Baffled Black WH-S Smooth White WH-BFL Baffled White	CUNV Universal Mounting Plate JBX-9W HV Driver (200-347V, 9W) EXT-6 6' Extension Cable EXT-10 10' Extension Cable SWF Wi-Fi Control	Emergency Backup	5YR 5 Years (incl.) 10YR 10 Years

DIMENSIONS



DIMMER COMPATIBILITY

Brand	Series	Model	Load	Dimmability
Lutron	Ariadni	AYCL-153P	150W	OK
	Diva	DV-600PR	600W	OK
	Diva	DVCL-153P	150W	OK
	Maestro	MACL-153MH	600W	OK
	Maestro Wireless	MRF2-6CL	150W	OK
	Rotary	D-600P	600W	OK
	Electronic(ELV)	NTELV-300P	600W	OK
	Skylark	S-600P	600W	OK
	Skylark Contour	CT-600P	600W	OK
	Skylark Contour	CTCL-153P	150W	OK
	Toggler	TG-600P	600W	OK
	Toggler	TGCL-153P	150W	OK
Leviton	Sureslide	6633	600W	OK
	Sureslide Decora	6674	600W	OK
	Trimatron	6672	600W	OK
	Sureslide	6613	600W	OK
Legrand	Adorne	DLV703	700W	OK
	Harmony	H703PTW	700W	OK
Cooper	Aspire	9530	1000W	OK
	Devine	DAL03P	300W	OK


FEATURES

Durable Aluminum Body

Eliminate heat with a die-cast aluminum heatsink

Easy Installation

Tension spring clips hold the fixture in place without the need for a recessed can



Interchangeable faceplates allow the fixture stylistic flexibility

TRIMS



FIXTURE, TRIM, & ACCESSORY REFERENCE TABLES

Fixture Model	Voltage	Watts	Lumens	Color	CRI
LED-DLJBX-2-8W-27K-W/W-S	120V	8w	600	2700k	>90
LED-DLJBX-2-8W-30K-W/W-S	120V	8w	600	3000k	>90
LED-DLJBX-2-8W-40K-W/W-S	120V	8w	600	4000k	>90
LED-DLJBX-2-8W-50K-W/W-S	120V	8w	600	5000k	>90
LED-DLJBX-2-15W-27K-W/W-S	120V	15w	1000	2700k	>90
LED-DLJBX-2-15W-30K-W/W-S	120V	15w	1000	3000k	>90
LED-DLJBX-2-15W-40K-W/W-S	120V	15w	1000	4000k	>90
LED-DLJBX-2-15W-50K-W/W-S	120V	15w	1000	5000k	>90

Trim Model	Description
DLJBX-2-TRIM-CH-S	Chrome Finish Disc Trim
DLJBX-2-TRIM-BN-S	Brushed Nickel Disc Trim
DLJBX-2-TRIM-BZ-S	Smooth Bronze Disc Trim
DLJBX-2-TRIM-BZ-BFL	Baffled Bronze Disc Trim
DLJBX-2-TRIM-BLK-S	Smooth Black Disc Trim
DLJBX-2-TRIM-BLK-BFL	Baffled Black Disc Trim
DLJBX-2-TRIM-WH-S	Smooth White Disc Trim
DLJBX-2-TRIM-WH-BFL	Baffled White Disc Trim

Accessory Model	Description
CUNV-NC-ICAT	Universal Pre-Mounting Plate
DLJBX-EMB	Round Trim Brushed Nickel Finish
JBX-9W-277-347V	200-347V Driver for 9W Fixture
JBX-EXT-6'	6' Extension Cable
JBX-EXT-10'	10' Extension Cable


ACCESSORIES



CUNV
Universal Pre-Mounting Plate



EMB
Emergency Backup



JBX-EXT
Extension Cable (6'/10')



JBX-9W
High Voltage Driver