



LED Selectable Recessed Downlight

Product Specifications

Color & Wattage Selectable



For quick, easy, and affordable LED upgrades, switch to TCP's LED Downlights. TCP downlights have quick snap holding arms to quickly attach to a recessed can. With this classic look, these downlights provide smooth even light in the color temperature you need.

Reasons to choose the LED Selectable Recessed Downlights from TCP

- Select between 2400K, 2700K, 3000K or, 3000K, 4000K, 5000K
- Product also allows for wattage selectivity
- Long, 50,000 hour life minimizes replacement and maintenance costs
- Very low heat generation makes the downlight perfect for sensitive display lighting
- Mounts directly to a 5" or 6" recessed can for easy installation
- Smooth, uniform dimming from 100 - 5%
- Excellent color consistency and CRI enhances colors of the focal point while maintaining uniformity throughout lighting installation

Ideal Applications

- Commercial
- Industrial
- Retail
- Residential
- Healthcare

Specifications:

Color Temperatures 2400K, 2700K, 3000K or
.....3000K, 4000K, and 5000K
Wattage Options 8W, 10.5W, 14.5W
Input Line Voltage 120 VAC
Input Line Frequency..... 50/60HZ
Lamp Life (Rated) 50,000 hours

Minimum Starting Temp -22°F/-30°C
Maximum Operating Temp..... 104°F/40°C
CRI 80
IC-rated for direct contact with insulation
UL approved for damp location (indoor only)—outdoor environment may cause yellowing of the white trim. This is not covered by warranty.

Specifications:



5"/6" Selectable Dimmable Downlight

ITEM #	DESCRIPTION	VOLTAGE	WATTS	INCANDES. WATTS	LPW			LUMENS			COLOR	CRI	MOL (inches)	DIA (inches)	BEAM ANGLE	BASE
					8 WATTS	10.5 WATTS	14.5 WATTS	8 WATTS	10.5 WATTS	14.5 WATTS						
LED 120W Equivalent Options																
DR56 Downlight • Dimmable • 50,000 Hour																
LEDWSDR56CCT1	5"/6" LED Color & Wattage Selectable Recessed Downlight 2400K/2700K/3000K	120V	8/10.5/14.5	120	95.6/ 106.3/ 106.3	95.3/ 104.8/ 104.8	86.9/ 96.6/ 96.6	765/ 850/ 850	1000/ 1100/ 1100	1260/ 1400/ 1400	2400K/ 2700K/ 3000K	80	3.0	7.4	90°	E26
LEDWSDR56CCT2	5"/6" LED Color & Wattage Selectable Recessed Downlight 3000K/4000K/5000K	120V	8/10.5/14.5	120	106.3/ 106.3/ 106.3	104.8/ 104.8/ 104.8	96.6/ 96.6/ 96.6	850/ 850/ 850	1100/ 1100/ 1100	1400/ 1400/ 1400	3000K/ 4000K/ 5000K	80	3.0	7.4	90°	E26

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516