

Brink

Bathroom Sconce

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-77612 12"	2700K 90	AL Brushed Aluminum	11W	863	779
	3000K 90	BK Brushed Black		905	791
	3500K 90	BR Brushed Brass		935	840

Example: **WS-77612-35-BR**

For custom requests please contact customs@waclighting.com

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

SPECIFICATIONS

Color Temp:	3500K, 3000K, 2700K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	85000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Energy Star 2.0 Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser



FINISHES:




Brushed
Black

Brushed
Aluminum

Brushed
Brass

LINE DRAWING:



WS-77612

WAC LIGHTING

Brink

Bathroom Sconce

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-77618 18"	2700K 90	AL Brushed Aluminum	16W	1155	910
	3000K 90	BK Brushed Black		1225	1015
	3500K 90	BR Brushed Brass		1330	1115

Example: **WS-77618-35-BR**

For custom requests please contact customs@waclighting.com

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

SPECIFICATIONS

Color Temp:	3500K, 3000K, 2700K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	85000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Energy Star 2.0 Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser



FINISHES:




Brushed
Black

Brushed
Aluminum

Brushed
Brass

LINE DRAWING:



WS-77618

Brink

Bathroom Sconce

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-77624 24"	2700K 90	AL Brushed Aluminum	21W	1595	1330
	3000K 90	BK Brushed Black		1720	1440
	3500K 90	BR Brushed Brass		1785	1510

Example: **WS-77624-35-BR**

For custom requests please contact customs@wacighting.com

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K,2700K,3500K
Input:	120-277 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	85000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL,Energy Star 2.0 Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser



FINISHES:




Brushed
Black

Brushed
Aluminum

Brushed
Brass

LINE DRAWING:



WS-77624

WAC LIGHTING

Brink

Bathroom Sconce

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens
WS-77636 36"	2700K 90	AL Brushed Aluminum	30W	2365	1985
	3000K 90	BK Brushed Black		2445	2095
	3500K 90	BR Brushed Brass		2561	2180

Example: **WS-77636-35-BR**

For custom requests please contact customs@waclighting.com

DESCRIPTION

A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

FEATURES


- Conversion plate for 4" J box included
- Adjustable backplate
- Driver installed within the Junction Box, driver dimension: 2.76" x 1.26" x 1.18"
- 5 year warranty

SPECIFICATIONS

Color Temp:	3500K, 3000K, 2700K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	85000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, Energy Star 2.0 Damp Location Listed
Construction:	Aluminum hardware with co-extruded acrylic diffuser




FINISHES:



Brushed Black Brushed Aluminum Brushed Brass

LINE DRAWING:



WS-77636